WELSH JOINT EDUCATION COMMITTEE General Certificate of Education Advanced Subsidiary/Advanced



CYD-BWYLLGOR ADDYSG CYMRU Tystysgrif Addysg Gyffredinol Uwch Gyfrannol/Uwch

#### 973/01

## **MATHEMATICS C1**

### **Pure Mathematics**

P.M. MONDAY, 10 January 2005

 $(1\frac{1}{2}$  hours)

# **NEW SPECIFICATION**

### ADDITIONAL MATERIALS

In addition to this examination paper, you will need:

- a 12 page answer book;
- a Formula Booklet.

### **INSTRUCTIONS TO CANDIDATES**

Answer **all** questions.

Calculators are **not** allowed for this paper.

### **INFORMATION FOR CANDIDATES**

The number of marks is given in brackets at the end of each question or part-question. You are reminded of the necessity for good English and orderly presentation in your answers.

- 1. The points A and B have coordinates (2, 3) and (5, 9) respectively. The line through B perpendicular to AB meets the x-axis at the point C.
  - (a) Show that the equation of the line BC is

$$x + 2y - 23 = 0.$$
 [6]

[1]

[4]

(b) Find the coordinates of C.

The point D has coordinates (24, 1). The line through A parallel to the line CD intersects the line BC in the point E.

- (c) Show that the coordinates of E are (7, 8). [5]
- (d) Find the length of CE. [2]
- **2.** Simplify

$$\frac{6 + \sqrt{7}}{\sqrt{7} - 2}$$

expressing your answer in surd form.

3. A curve *C* has equation

$$y = 2x^3 - 6x^2 + 12.$$

- (a) Find the coordinates of the stationary points of C and determine the nature of each of those points. [7]
- (b) Sketch C. [3]
- (c) State, giving a reason, the number of real roots of the equation

$$2x^3 - 6x^2 + 12 = 0.$$
 [2]

4. (a) Find all the factors of the polynomial

$$3x^3 + 2x^2 - 19x + 6.$$
 [6]

- (b) Find the remainder when  $3x^3 + 2x^2 19x + 6$  is divided by x + 1. [3]
- 5. Express the quadratic expression  $x^2 14x + 55$  in the form  $(x a)^2 + b$ , where the values of the constants *a* and *b* are to be determined. Hence show that  $x^2 14x + 55$  is positive for all values of *x*. [5]

6. The curve *C* has equation

$$y = 4x^2 - 7x + 11,$$


and the line L has equation

$$y = 5x + k ,$$

where k is a constant. Given that L intersects C in two distinct points, show that k > 2. [6]

[5]

- 7. Differentiate  $x^2 + 4x + 3$  from first principles.
- 8. The curve C has equation  $y = 3x^{\frac{3}{2}} \frac{32}{x}$ .
  - (a) Find the equation of the tangent to C at the point where x = 4. [7]
  - (b) Find the equation of the normal to C at the point where x = 4. [2]



The diagram shows the graph of y = f(x). The curve passes through the origin, and has a maximum point at (1, 2).

Sketch on separate diagrams the graphs of

(a) y = f(x) + 4, (b) y = f(x + 3), (c) y = f(2x),

giving the coordinates of the maximum point in each case. [2], [2], [2]

- **10.** (a) Write down the expansion of  $(a + b)^4$ . [2]
  - (b) In the binomial expansion of  $(a + 2x)^4$ , the coefficient of the term in  $x^2$  is twelve times the coefficient of the term in  $x^3$ . Find the value of a. [3]